

# WEST Search History for Application 09295690

**Creation Date: 2009010419:00**

Query	DB	Op.	Plur.	Thes.	Date
version\$1 with upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
upgrad\$3 with (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) ) and (version\$1 with upgrad\$3 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3 ) and (updat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3 and (updat\$3 with message) ) and ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message) ) and ((first or second) with version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
repeat same ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(repeat same ((generat\$3 or build\$3 or construct\$3) with message) ) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message)) ) and (repeat\$ with generat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008

707/\$.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(707/\$.ccls. ) and (repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message)) and (repeat\$ with generat\$3 with message) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
(707/\$.ccls. ) and (upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		03-27-2008
version\$1 with upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
upgrad\$3 with (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) ) and (version\$1 with upgrad\$3 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3 ) and (updat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3 and (updat\$3 with message) ) and ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(upgrad\$3 with (database or (data near base) or ("data base"))) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message) ) and ((first or second) with version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
repeat same ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(repeat same ((generat\$3 or build\$3 or construct\$3) with message) ) and (repeat\$ with ((generat\$3 or	PGPB, USPT, USOC, EPAB,	OR			09-23-2008

build\$3 or construct\$3) with message))	JPAB, DWPI, TDBD				
(repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message)) ) and (repeat\$ with generat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
707/\$.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(707/\$.ccls. ) and (repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message)) and (repeat\$ with generat\$3 with message) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
(707/\$.ccls. ) and (upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			09-23-2008
version\$1 same upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 ) and writ\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$ ) and schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$ and schema ) and (writ\$ near3 version near5 schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$ and schema ) and (writ\$ near5 version near5 schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$ and schema ) and (writ\$ near5 schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008

(version\$1 same upgrad\$3 and writ\$ and schema ) and (writ\$ same schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(version\$1 same upgrad\$3 and writ\$ and schema and (writ\$ same schema) )	USPT	OR	YES		09-23-2008
writ\$4 near5 version\$1 near5 schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
writ\$4 same version\$1 same schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(writ\$4 same version\$1 same schema ) and (writ\$4 near version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(writ\$4 same version\$1 same schema ) and (writ\$4 near3 version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(writ\$4 same version\$1 same schema and (writ\$4 near3 version) )	USPT	OR	YES		09-23-2008
writ\$ near (updat\$3 adj version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(writ\$ near (updat\$3 adj version) )	USPT	OR	YES		09-23-2008
711/142-143.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
711/155.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(( 711/142-143.ccls. ) or (711/155.ccls. ) ) and (writ\$ near (updat\$3 adj version) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
		OR	YES		09-23-2008

( (711/142-143.ccls. ) or (711/155.ccls. ) ) and (writ\$4 same version\$1 same schema )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
upgrad\$3 same (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(upgrad\$3 same (database or (data near base) or ("data base")) ) and ( (711/142-143.ccls. ) or (711/155.ccls. ) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
(upgrad\$3 same (database or (data near base) or ("data base")) ) and (writ\$4 same version\$1 same schema )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-23-2008
version\$1 with upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
upgrad\$3 with (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 with (database or (data near base) or ("data base")) ) and (version\$1 with upgrad\$3 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 ) and (updat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message) ) and ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message) ) and ((first or second) with version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
repeat same ((generat\$3 or build\$3 or construct\$3) with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009

	TDBD				
(repeat same ((generat\$3 or build\$3 or construct\$3) with message) ) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message)) ) and (repeat\$ with generat\$3 with message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
707/\$.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(707/\$.ccls. ) and (repeat same ((generat\$3 or build\$3 or construct\$3) with message) and (repeat\$ with ((generat\$3 or build\$3 or construct\$3) with message)) and (repeat\$ with generat\$3 with message) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(707/\$.ccls. ) and (upgrad\$3 with (database or (data near base) or ("data base")) and version\$1 with upgrad\$3 and (updat\$3 with message) and ((generat\$3 or build\$3 or construct\$3) with message) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
version\$1 same upgrad\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3 ) and writ\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3 and writ\$ ) and schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3 and writ\$ and schema ) and (writ\$ near3 version near5 schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3 and writ\$ and schema ) and (writ\$ near5 version near5 schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
		OR			01-04-2009

(version\$1 same upgrad\$3 and writ\$ and schema ) and (writ\$ near5 schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(version\$1 same upgrad\$3 and writ\$ and schema ) and (writ\$ same schema)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(version\$1 same upgrad\$3 and writ\$ and schema and (writ\$ same schema) )	USPT	OR			01-04-2009
writ\$4 near5 version\$1 near5 schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
writ\$4 same version\$1 same schema	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(writ\$4 same version\$1 same schema ) and (writ\$4 near version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(writ\$4 same version\$1 same schema ) and (writ\$4 near3 version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(writ\$4 same version\$1 same schema and (writ\$4 near3 version) )	USPT	OR			01-04-2009
writ\$ near (updat\$3 adj version)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(writ\$ near (updat\$3 adj version) )	USPT	OR			01-04-2009
(711/142  711/143).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(711/155).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
		OR			01-04-2009

((711/142  711/143).ccls. ) or ((711/155).ccls. ) ) and (writ\$ near (updat\$3 adj version) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((711/142  711/143).ccls. ) or ((711/155).ccls. ) ) and (writ\$4 same version\$1 same schema )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
upgrad\$3 same (database or (data near base) or ("data base"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 same (database or (data near base) or ("data base")) ) and ( ((711/142  711/143).ccls. ) or ((711/155).ccls. ) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009
(upgrad\$3 same (database or (data near base) or ("data base")) ) and (writ\$4 same version\$1 same schema )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			01-04-2009